PRECAUTIONARY STATEMENTS
HAZARDS TO HUMANS AND DOMESTIC ANIMALS
DANGER

Corrosive: Causes irreversible eye damage and skin burns. Harmful if swallowed or absorbed through the skin or inhaled. Do not get in eyes, on skin or on clothing. Wear protective eye wear (goggles, face shield, or safety glasses), rubber gloves, and protective clothing when handling. Wash thoroughly with soap and water after handling. Remove contaminated clothing and wash clothing before reuse.

ENVIRONMENTAL HAZARDS

Do not discharge effluent containing this product into lakes, streams, ponds, estuaries, oceans or other waters unless in accordance with the requirements of a National Pollutant Discharge Elimination System. (NPDES) permit and the permitting authority has been notified in writing prior to discharge. Do not discharge effluent containing this product to sewer systems without previously notifying the local sewage treatment plant authority. For guidance, contact your State Water Board or Regional Office of the EPA.

DIRECTIONS FOR USE

It is a violation of Federal law to use this product in a manner inconsistent with its labeling.

Auto-Chlor DS-33 is a multipurpose product especially prepared for use in restaurants, hospitals, nursing homes, schools, and various institutions as a detergent, sanitizer, or disinfectant.
As a detergent/deodorizer, Auto-Chlor DS-33 is used for washing floors, tables, refrigerators, bathroom fixtures, garbage cans, etc., by mixing 1 fl. oz. of Auto-Chlor DS-33 with one gallon of water. For porous surfaces such as brick, tile or wood, a 3 oz. per gallon mixture should be used.

Non-Food Contact Sanitizer: A use dilution of 2 1/2 fl. oz. of Auto-Chlor DS-33 per gallon of water may be applied with mop, sponge, cloth or brush to previously cleaned floors, walls, countertops, tables, chairs, garbage pails, and other hard non-porous surfaces. Apply until surfaces are thoroughly wet and allow to remain wet for 5 minutes. Allow surfaces to air dry.

Disinfection: Apply a use dilution of at least 2 1/2 fl. oz. per gallon of water with a cloth, mop, sponge, or brush, to previously cleaned floors, walls, bedframes, tables, chairs, garbage pails, and other hard, non-porous surfaces. Surfaces must be thoroughly wetted for 10 minutes. Remove excess liquid.

This use level of Auto-Chlor DS-33 as a disinfectant under these directions is effective against Staphylococcus aureus, Salmonella choleraesuis, and Pseudomonas aeruginosa.

Fresh solutions should be prepared daily or sooner if solution becomes visibly dirty. For food contact surfaces such as countertops and tables, thoroughly rinse surfaces with potable water.

STORAGE AND DISPOSAL

Do not contaminate water, food, or feed by storage and disposal.
PESTICIDE STORAGE: Do not store on side. Avoid creasing of side walls.
PESTICIDE DISPOSAL: Pesticide wastes are acutely hazardous. Improper disposal of all excess pesticide, spray mixture, or rinsate is a violation of Federal Law. If these wastes cannot be disposed of by use according to label directions, contact your State Pesticide or Environmental Control Agency, or the Hazardous Waste Representative at the nearest EPA Regional Office for guidance.
CONTAINER HANDLING
Refillable container. Refill this container with pesticide only. Do not reuse this container for any other purpose. Cleaning the container before final disposal is the responsibility of the person disposing of the container. Cleaning before refilling is the responsibility of the refiller. To clean the containter before final disposal, empty the remaining contents from this container into application equipment or mix tank. Fill the container about 10 percent full with water. Agitate vigorously or recirculate water with the pump for 2 minutes. Pour or pump rinsate into application equipment or rinsate collection system. Repeat this rinsing procedure two more times.

EPA Est. No. 6243-AR-1 AZ-1 AZ-2 CA-1 CA-2 CA-3 CA-4 CA-5 CA-8 CA-9 CA-10 CA-11 CA-12 CA-13 GA-1 GA-2 IL-1 IN-1 KY-1 MD-2 MI-1 MI-2 MO-1 MS-2 MS-3 NJ-1 NY-1 OH-1 OH-2 OR-1 TN-1 TN-3 TN-5 TN-6 WA-1

Establishment number is indicated by lot code or by marking on label.

Auto-Chlor® SYSTEM

Auto-Chlor® DS-33

Sanitizer Deodorizer-Disinfectant

ACTIVE INGREDIENT:

n-alkyl (50% C14, 40% C12, 10% C16) dimethyl benzyl ammonium chloride	4.25%
OTHER INGREDIENTS	95.75%
TOTAL	100.00%

KEEP OUT OF REACH OF CHILDREN
DANGER

MANTÉNGASE ALEJADO DEL ALCANCE DE LOS NIÑOS
PELIGRO

FIRST AID
Have product container or label with you when calling a poison control center or doctor, or going for treatment.
IF IN EYES: Hold eye open and rinse slowly and gently with water for 15–20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call poison control center or doctor for treatment advice.
IF ON SKIN: Take off contaminated clothing. Rinse skin immediately with plenty of water for 15–20 minutes. Call poison control center or doctor for treatment advice.
IF SWALLOWED: Call poison control center or doctor for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give anything by mouth to an unconscious person.
NOTE TO PHYSICIAN: Probable mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock, respiratory depression and convulsion may be needed.

Net Contents:
18.9 L (5 US gal)
9.46 L (2.5 US gal)
3.78 L (1 US gal)

See side panel for additional precautionary statement. **EPA Registration No. 6243-3**

ADDITIONAL INFORMATION

As a detergent Auto-Chlor DS-33 is for light to medium duty. It is not formulated for gross filth and heavy accumulations of soil. Consult your Auto-Chlor System Representative for information about our wide selection of heavy duty cleansers. After an initial thorough cleaning, use Auto-Chlor DS-33 to maintain the cleanliness of surfaces when they become lightly soiled. Regular and frequent applications are more efficient and practical than irregular cleaning.

PRIMEROS AUXILIOS

Al llamar a un centro de control de envenenamientos o un médico o al buscar tratamiento medical, asegúrese de que tenga a mano el recipiente o la etiqueta del producto.
EN CASO DE CONTACTO CON LOS OJOS: Mantenga el párpado abierto y enjuáguese el ojo lentamente y suavemente con agua por 15 ó 20 minutos. Quítese los lentes de contacto, según el caso, después de los 5 primeros minutos, luego continue enjuagando los ojos. Póngase en contacto con un centro de control de envenenamientos o un médico de inmediato para obtener consejos médicos.
EN CASO DE CONTACTO CON LA PIEL: Quítese la ropa contaminada. Enjuáguese la piel inmediatamente con mucha agua por 15 ó 20 minutos. Póngase en contacto con un centro de control de envenenamientos o un médico de inmediato para obtener consejos médicos.
EN CASO DE INGESTIÓN: Póngase en contacto con un centro de control de envenenamientos o un médico para obtener consejos médicos. Si la persona puede tragar, haga que sorba un vaso de agua. No induzca el vómito a menos que se indique lo contrario por un centro de control de envenenamientos o un médico. No administre nada por vía oral a una persona inconsciente.
NOTA PARA EL MÉDICO: El daño probable de las membranas mucosas puede contraindicar el empleo de lavado gástrico. Pueden hacerse necesario tomar medidas contra shock al sistema circulatorio, depresión del sistema respiratorio y convulsiones.

PRECAUCIONES
RIESGOS PARA LOS HUMANOS Y ANIMALES DOMÉSTICOS
PELIGRO

Corrosivo: Ocasiona lesiones irreversibles en los ojos y quemaduras en la piel. El concentrado es nocivo en caso de ingestión, inhalación o absorción transcutánea. No déjelo entrar en los ojos, la piel o la ropa. Al manipular el producto, use una protección para los ojos (gafas, mascarilla o lentes de protección), guantes de goma y ropa de protección. Lávese completamente con agua y jabón después de manipular el producto. Quítese y lave la ropa contaminada antes de volverla a usar.

ALMACENAMIENTO Y ELIMINACIÓN

Evite la contaminación del agua, alimentos y comida para animales al almacenar o eliminar este producto.
ALMACENAMIENTO DE PESTICIDAS: No lo almacene en su lado. Evite el arrugamiento de sus paredes laterales.
ELIMINACIÓN DE PESTICIDAS: Los desechos de pesticidas son agudamente peligrosos. La eliminación inadecuada de todo exceso de pesticida, mezcla de aerosoles o agua de enjuague constituye una violación de la leyes federales. Si no es posible eliminar estes desechos en conformidad con el modo de empleo en la etiqueta, comuníquese con su agencia estatal de control de pesticidas o del medio ambiente, o con un representante del servicio de control de desechos peligrosos de la oficina regional de la EPA para obtener consejos.
MANIPULACION DE CONTENEDORES
Contenedores recagables. Rellenar contenedores con pesticida solamente. No vuelva a usar este contenedor para ningun otro proposito. Es la responsabilidad de la persona el limpiar el contendor antes de botarlo. Limpiar el contenedor antes de rellenarlo es la responsabilidad de la persona. Para limpiar el contenedor antes de botarlo, vaciar el contenido adentro de la applicacion o tanque. LLenar el contenedor un 10 por ciento con agua. Agitarse/enjuague por 2 minutos. Pumpiar o echar el rinse en la applicacion o systema de collecion. Repetir este procedimiento 2 veces.

Auto-Chlor® SYSTEM

Sold by:
Auto-Chlor System
746 Poplar Avenue
Memphis, TN 38105
Emergency number - 866-923-4946

S730 042/10